



### ELECTRICAL

Wattage	8.5W		
Voltage	120V		
Current	90mA		
Power Factor	0.7		
LIGHTING PERFORMANCE			
Lumens	700		
Lumens Per Watt (LPW)	82		
Color Temperature (CCT)	27K / 30K / 35K / 40K / 50K		
Color Rendering (CRI)	90		
Beam Angle	110°		
Dimmable Lighting Control	<b>Dimmable</b> see compatibility report		
ENVIRONMENT			
Operating Temperature	-4° ~ 104°F		
Suitable Location	DAMP		
Ingress Protection Rating	IP20		
Suitable Fixture Type	Open		
LIFESPAN			
Average Life (Hours)	25,000		
Warranty (Years)	5		
COMPONENTS			
LED Light Source	Lumileds		
CONSTRUCTION			
Housing	PC		
Base / Power Supply	E26 - Medium		
Finish	White		
QUALIFICATIONS			
Model Number	91854		

Manufactured by P.Q.L., Inc. • Published lumens on LED products are approximate and may vary slightly. • Specifications are subject to change without notice.

compliant

CBRTO8 COMMERCIAL DUTY • 5YR LED TONE-SELECT™ BR30 LAMP

**REFLECTOR (FLOOD/SPOT)** 

### FEATURES

- Adjustable color temperature for custom lighting application.
- Superior lighting performance
- Energy efficient
- Innovative and durable design that resembles traditional lighting
- UL 94 V-0: Shatter-resistant, flame-resistant polycarbonate lens
- Ideal replacement for 65W traditional lamps

## APPLICATION

Indoor residential and commercial spaces, track lighting and recessed downlights.

# CBRTO8 COMMERCIAL DUTY • 5YR LED TONE-SELECT™ BR30 LAMP

MEDUES
PREMIUM QUALITY LIGHTING®

**A** - A

DIMENSIONS (Inches)	
Length (MOL)	5″
Width/Diameter (MOD)	3.7″
Weight (Lbs)	0.06



PACKAGING		UPC	DIMENSIONS (LxWxH)	GROSS WEIGHT (Lbs)
Master Carton	24	10811768021452	15.5" x 11.7" x 10.6"	3.9
Individual Box	1	811768021455	3.8" x 3.8" x 5"	0.16
Country of Origin	China			
HS Tariff	8539.50.0010			

## ORDERING

ITEM#	DESCRIPTION	TITLE 20	TITLE 24	CASE
CBRT08	LED TONE-SELECT™ 8.5WBR30/27-30-35-40-50K/110°/DIMM	Yes	No	24
Manufactured by DOL Inc. Manufacturer Medal # 01954				

Manufactured by P.Q.L., Inc. - Manufacturer Model # 91854

#### **ADDITIONAL INFORMATION:**

- Using the CCT slider on the side of lamp to select the desired color temperature.